



mafkildea

Units 11 & 20 malham road industrial estate
Malham road
Forest hill
London
SE23 1AH



Sales 020 8699 7527
Distribution 020 8699 8893
Fax 020 8314 4533
www.wood4floors.co.uk
mail@wood4floors.co.uk

Hardwood Flooring Stockists

Members of **TRADA** (Timber Research and Development Association)

Members **BWFA** (British Wood Flooring Association)

opening hours

monday to friday 8.45am- 4.45pm
saturday 10.00am-1.00pm
closed sundays and bank holidays

Brochure and trade price list
MAY 2007

25years in wooden flooring

Over 20,000 square metres available for prompt delivery



Solid Wood Floors or Engineered Wood Flooring

Enjoy the truly authentic look and luxury of an hardwood floor like an old friend it matures with age. Each solid wood floor is totally individual and can last well over a hundred years - add value not only to the look of your home but its price as well - just ask your estate agent.


Perfect for today's busy living and family life it will add unique character to a period house or a contemporary feel to a modern property.

Solid wood floors live up to their name. They are precisely milled from a single piece of wood and with a life expectancy of at least **100 years** a truly worthwhile investment. Easily nailed down to your existing floor or over plywood.



Engineered wood flooring for even easier installation, they have their own incorporated plywood backing, and can be floated over your choice subfloor. Life expectancy of some **25 years** - what could be easier and practical too.

All our products have Simple cleaning and maintenance and the vast majority of our flooring is expertly finished with many coats of lacquer or oil for a long lasting finish and much easier and cleaner installation



The ecological benefits of real wood floors are undeniable. They are durable, hypoallergenic, biodegradable and there are no toxic wastes generated during production. They also possess the unique ability to be renewed instead of replaced.

The natural warmth and beauty of a real wood floor are unrivalled - wood's unique grain, solid investment value and ecological benefits are the beginning of why Wood Floors are the best choice for your home.

Best Prices for quality hardwood flooring - Trade and Retail

Buy from a reputable supplier - over 30 years in hardwood flooring - Corporate members of TRADA (Timber and Research Development Association) and inaugural members of BWFA (British Wood Flooring Association).

Large Stocks - all products are carried in stock for prompt UK delivery.

Complete technical backup - from our website or by telephone.

Specialised warehousing to maintain your hardwood flooring at its optimal moisture content and reaches you in perfect condition.

Full showroom facilities - visit us anytime to see larger samples or advice. .



mafkildea

Units 11 & 20 malham road industrial est., Malham Road, Forest Hill, London, SE23 1AH Monday - Friday 8.45am - 4.45pm
Saturday 10.00am - 1.00pm

020 8699 7527 www.wood4floors.co.uk

width	grade	size mm widthx thicknessxlength	carton size m2	£m2 excl. vat	StockCode
solid white oak	lacquered				
90mm (structural)	traditional	90mmx18mmxrandom	1.98	*£19.95	C320
110mm (structural)	classic	110mmx18mmxrandom	1.85	*£29.25	C340
130mm (structural)	traditional	130mmx18mmxrandom	1.72	£24.95	C440
130mm (structural)	Classic	130mmx18mmxrandom	2.18	*£31.50	C420
150mm (structural)	classic	150mmx20mmxrandom	2.52	£34.50	C480
150mm (overlay)	traditional4/ 5 stripdesign	150mmx15mmx2100mm	2.52	*£19.75	C470
solid white oak	unfinished				
200mm (structural)	traditional /character	200mmx20mmxrandom	(random bundles)	£39.00	C500
french oak	Classic	130mmx18mmxrandom sanded and filled	2.18	£29.99	C460
white oak					
milled to order	various grades			P.O.A	
solid white oak	oiled				
90mm (structural)	traditional	90mmx18mmxrandom	1.98	£23.25	C330
110mm (structural)	traditional	110mmx19mmxrandom	2.42	£33.00	C370
130mm (structural)	classic	130mmx18mmxrandom	2.18	£32.25	C450
130mm (overlay)	traditional	130mmx15mmxrandom	2.18	£32.25	C410
(brushed&oiled)					
130mm (structural)	classic	130mmx18mmxrandom	2.18	£34.50	C390
(brushed&oiled)					
engineered white oak	unfinished	plank design		structural	
180mm (full 6mm top) (structural)	traditional	180mmx21mmxrandom	1.64	£35.25	C220
engineered white oak	lacquered	3 strip design			
189mm	traditional	189mmx14mmx2200mm	3.33	*£15.99	C120
200mm (overlay click system)	traditional	200mmx14mmx2250mm	2.70	*£19.99	C140
engineered white oak	oiled	3 strip design			
200mm (overlay)	traditional	200mmx14mmx2250mm	2.70	*£28.00	C150
engineered white oak	lacquered	plank design			
180mm (full 6mm top) (structural)		180mmx21mmxrandom	1.64	£37.25	C260
148mm	traditional	148mmx14mmx1830mm	2.17	£23.50	C210
127mm(click system)	traditional	127mmx14mmx1085mm (click)	0.83	*£25.50	C200
engineered white oak	oiled	plank design			
180mm (full 6mm top) (structural)		180mmx21mmxrandom	1.64	£39.75	C240
127mm (brushed&oiled)	traditional	127mmx14mmx2200mm	1.68	£29.50	C180
solid red oak	lacquered				
130mm (structural)	traditional	130mmx18mmxrandom	2.18	£28.75	C490
clearance items		To be sold as complete lots			
solid white oak	lacquered				

walnut hardwood flooring **stock items** wood4floors 020 8699 7527

width	grade	length mm	carton size m2	£m2 excl. vat	Code S
solid walnut	lacquered				
120mm (eng) (structural)	classic	120mmx18mmxrandom	2.02	£43.25	C540
engineered walnut	lacquered	3 strip design			
190mm (overlay)	traditional	190mmx14mmx2200mm	3.35	*£28.50	C270
engineered walnut	lacquered	plank design			
120mm (am) (overlay)	Select	120mmx15mmxrandom	3.03	£39.50	C290
clearance items		to be sold as complete lots			
100mm (am) (structural)	select lacquered solid	t&g random	total 13.60m2	£49.50 *£35m2 total £476.00	C520
walnut codes	(eng)	English walnut	Black American Walnut		



maple birch and beech hardwood flooring **stock items**

width	grade	length mm	thickness mm	carton size m2	£m2 excl. vat	Code S
solid maple	lacquered	other grades and sizes to order				
125mm	classic	t&g random 400-1500	18mm	2.10	£33.00	C310
engineered maple	lacquered	3 strip design				
200mm (click system)	classic	2250mm	14mm	2.70	£24.00	C110
solid birch						
120mm	classic	t&g 400-1200	18mm	2.02	*£27.75	C300
solid ash						
clearance items		to be sold as complete lots				



www.wood4floors.co.uk

Wood for underfloor heating hardwood flooring







Narrower widths are recommended with solid floors always follow instructions

width	grade	length mm	carton size m2	£m2 excl. vat	Code S
solid white oak	lacquered				
110mm (structural)	classic	110mmx18mmxrandom	1.85	*£29.25	C340
130mm (structural)	Classic	130mmx18mmxrandom	2.18	*£31.50	C420
solid white oak	oiled				
130mm (overlay) (brushed&oiled)	traditional	130mmx15mmxrandom	2.18	£34.50	C410
engineered white oak	lacquered	plank design			
127mm(click system)	traditional	127mmx14mmx1085mm (click) excellent for u/f heating	0.83	*£25.50	C200
clearance items		to be sold as complete lots			



www.wood4floors.co.uk

f floor fitting accessories

	type	£ linear metre		size	Code
profiles					
	T bar solid wood	£13.00	various species with fitting channel	0.90 , 1.80 Or 2.70 metre	C760
	L bar solid wood	£13.00	various species with fitting channel	0.90 , 1.80 Or 2.70 metre	C770
	R bar solid wood	£13.00	various species with fitting channel	0.90 , 1.80 Or 2.70 metre	C790
	stair nosing solid wood	£25.00	various species	1 or 3 metre	C780
	scotia solid wood mdf	per length £9.60	various species	2.44 metre 2.40 metre	C800 C820
	Pipe roses Solid wood	£5.50pair	Various species		C830
skirting					
Solid french oak	120mmx20mmx 2400mm (unfin.)	£20.26 per length	French oak ogee/chamfered	2.40 linear metre	C840
adhesive					
rewmar flexible adhesives environmentally friendly glue down all wood flooring	tub 16 k sausage 600ml trowel applicator gun acoustic mat	£64.50 £05.95 £03.50 £29.75	rewmar hazard free	16 kg tub 600 ml 6mm V-notched 6500 ml	C900 C901 C960 C950
pva	pva d3	£2.99	unika	500g	C920
underlay					
timbermate excel	acoustic inc.dpm	£29.70roll	4mm	10.00m2	C860
moisture resistant tape	for above	£4.95roll		25 metres	C870
foam		£1.00m2	2mm	25m2	C880
dpm(vapour barrier)	polythene	£0.80m2	300 gauge		

Care products

				£ plus vat	Code
rubber backed coir matting	for entrance and exit doors	1 metre wide x 25metres long	cuts available	£17m2	C1190
mop	micro fibre mop with handle	mop replacement head		£9.99each	C1170
				£2.99each	C1180
furniture protectors	multipack felt pads	various sizes included		£5.50each	C1210
floor cleaner	Unika				C1200
Washing Machine Drip Trays	Use under washing machines fridges etc	Clear moulded plastic		£14.99 each	C1220
Cleaning Blocks	Small Medium large	For removing ink, stains, crayon, grease		£1.00 each £1.50 each £2.00 each	

Lacquers seals, varnishes & oils

lacquers etc.	quality	type	Gloss level	£ plus vat	Code
junckers	full range available				
Strong	commercial	Water based	Matt, silk, gloss	£53.71 5litre £31.92 2.5litre	C990 C1000
prelack	primer	Water based		£45.00 5litre	C1010
prefill	sawdust/filler	Water based		£39.50 5litre	C1020
Rustic oil				£9.50 0.75litre £21.40 2.5litre	C1040 C1030
mastic	colour sealant	310ml cartridge	unika(colours)	£4.64	C1160

hire department

		consumables	per day plus vat	per week plus vat	Code H
portanailer	manual secret nailer	nails 2inch£13.00 1.5inch£15.00 per thousand	£8.00	£30.00	

Information guides available

1. Choosing hardwood floor
2. Types of hardwood flooring
3. Considerations before installing
4. Measuring and estimating materials
5. Floor fitting accessories
6. Reducing noise and under floor heating
7. Basic fitting instructions for solid wood floors
8. Technical aspects
9. Care and maintenance
10. Your delivery
11. Terms and conditions of sale.

All available from our website www.wood4floors.co.uk
make sure you read our terms and conditions of sale before ordering
details are available on our website or from the office.

<http://www.wood4floors.co.uk/wb/pages/terms-of-use.php>

Your consumer rights are fully protected.

What our customers say.....

Our oak floor arrived the next day.

The walnut floor looked so good it was a pity to take it out of the boxes.

Another company let me down at the last minute but wood4floors were able to supply straight from their warehouse.

Three of my friends have also bought hardwood floors from wood4floors after seeing my living room floor.

Your sales staff advised me not to install a hardwood floor until my new concrete floor was completely dry saving me hundreds of pounds on replacement.

Staff spent over an hour with me in the showroom going through the installation procedure!

I saved over £500 by buying from wood4floors rather than a local company, on one floor.....

I fitted my own floor with telephone advice and using downloadable instructions.

We have been to many different companies but wood4floors have given the best straightforward advice.

Very helpful and knowledgeable staff

Experienced fitters are available to give expert advice and suggest alternatives.

More interested in selling you the best product for your situation....

The floors are weighty, solid and built for many lifetimes... In the long run it cost me less than good quality carpet, a healthy, clean alternative.

Your wood4floors team

				
mary	emma	mark	david	mike

wood4floors

We make money the old fashioned way

Acceptance of orders

Any quotation relating to Goods supplied by The Company and any catalogue, mail shot, advertisement, telephone call, price list, or use of our website of such Goods shall not constitute an offer capable of acceptance by the Customer but an invitation to treat only. Any Order shall be accepted entirely at the discretion of The Company and, if accepted, are accepted upon our standard Terms and Conditions.

We hope that our standard terms of business are clear and straightforward - but do feel free to ask any questions you may have. Unless otherwise agreed, our terms and conditions apply to all sales of goods. Your order implies acceptance of these Terms & Conditions

NOTES

Wood is a natural product and no two pieces will be exactly alike always check you have ordered the correct grade. Do not store or install the product unless surroundings and subfloors are completely dry (new concrete will require approximately one inch a month to dry) . Flooring should be installed within the installation area at normal expected living conditions for around a week to acclimatize , depending on the particular product. Do not open cartons of engineered flooring until immediately prior to installation .We recommend that very high traffic areas such as kitchens are given a further coat of lacquer or oil. Full grading specifications on all products are available from the office. A dimension tolerance of 2% is allowed by manufacturers and a grading allowance of 5% of product above and below grade. Always refer to manufacturers and our information guides regarding fitting and care and maintenance. Information Guides and our Terms and conditions are available from our web site or copies can be obtained from the address above. Solid hardwood floors should not normally be installed below ground level. Wood is a natural dynamic material and tolerances may vary according to percentage of moisture content and other variables. **mafkildea General Grading** All wood flooring is generally supplied tongue and groove all round in random lengths . All flooring is kiln dried and supplied from our humidity controlled warehouse. Pre lacquered or oiled wood floors will be supplied in cardboard cartons and unfinished in bundles. We purchase from over 50 manufacturers worldwide, all with different grading rules , all hardwood is inspected and graded to our specifications. Always consult us if you require a full grading specification on your particular choice of wooden flooring. There are a number of sub gradings within the three main gradings such as select and better which would indicate a slightly higher grading than the normal select grade.

Select grade These are some of the highest grades available and are the most expensive. The timbers selected will be on the whole more even in patina and colour and contain limited knotting . Straightest grain and the least number of burrs and character marks.

Classic grade A middle grading with colour variation between heartwood and sapwood , some knotting and the trees natural mineral streaks, wild grain, surface checks, burrs and other character figuring.

Traditional grade Supplied either filled or unfilled depending on the manufacturer. More colour flashes, larger knotting , character marks and burrs, some filling and wilder grain allowed, with natural mineral streaks and trace elements from the trees original location. A serviceable floor with plenty of character and interest, more colour variation than classic grade.

We recommend viewing large sample boards at our London Showroom and warehouse.

mafkildea

Units 11 and 20, Malham Road Industrial Estate, Malham Road, Forest Hill, London SE23 1AH

Sales: 020-8699-7527

Website <http://www.wood4floors.co.uk/>

Email sales@wood4floors.co.uk

Vat no. 769218004

Corporate Member of TRADA (Timber Research and Development Association)

Inaugural member of the British Wood Flooring Association

London winner of the STEP awards 2005